Program & Abstract Submissions

UNDERGRADUATE RESEARCH AND CREATIVE ACTIVITY FORUM (URCAF)

WICHITA STATE

April 15, 2022

RHATIGAN STUDENT CENTER, WICHITA STATE UNIVERSITY

Applied Sciences Poster Presentations			
Booth Number	**Presenter's Name**	**Presentation Title**	**Abstract Page**
1	Kelly Adams	ŋ/ɜɪ/ʒə: A CONSTRUCTED LANGUAGE TO VERBALLY PORTRAY A SIGNED LANGUAGE OF ALIEN DESCENT	6
2	Lauren Baalman, Cassie Forcum, Maria Thompson, Jade Burroughs	Educating Pregnant Women and Their Children on Oral Hygiene	7
3	Jaylyn Bergkamp, Kennedy Camp, Sam Koch, Shadden Zapata	All Aboard for Healthy Smiles	7
4	Lindsey Clark, Lauren Akin, Pili Bravo-Alvarez, Paige Counterman, Stephanie		

14 4

10:10 a.m. 262 Herrman	Kylie Meier	Artificial Neural Network Model to Predict the Future Trajectory of Anatomical Motion During Cancer Treatment	29
10:10 a.m. 264 Spencer	Aaron Fater	Watching Actin Grow to Help Understand Cancer Metastasis	25
10:30 a.m. 262 Herrman	Gissele Mosqueda	Optimal Rest Interval Between Sets in Robot-Based Upper-Arm Rehabilitation	29
10:30 a.m. 264 Spencer	Carlos Gatti	Energy Absorption of 3D Printed Lattice Structures	26
10:50 a.m. 262 Herrman	David Nevarez-Saenz	Additive manufacturing of ceramic acoustic liners for aircraft noise reduction	30
10:50 a.m. 264 Spencer	Nathan Gonzalez	UPPER ARM REHABILITATION EXOSKELETON DESIGN AND ASSESSMENT	26
11:10 a.m. 262 Herrman	Grace Peterson	OPTIMAL FABRICATION METHODS FOR PEROVSKITE SOLAR CELLS WITH CARBON COUNTER ELECTRODES	30
11:10 a.m. 264 Spencer	Logan Janes	LIFE TRAPPED IN ICE: MICROBIAL SURVIVAL AND ACTIVITY WITHIN MELTED BRINES IN LAYERED ICES RELEVANT TO MARS	27
11:30 a.m. 262 Herrman	Kazune Tazawa	Pure Bending of Honeycomb Core	31
11:30 a.m. 264 Spencer	William Johnston	Additively Manufactured Tensegrity Assisted Inflatable Structures (AMTAIS)	27

Social Sciences & Humanities Oral Presentations			
Time/Location	**Presenter's Name**	**Presentation Title**	**Abstract Page**
9:30 a.m. 265 Lucas	Journi Brown	Zora Neale Hurston: Forgotten Foremother of Anthropology	31
9:50 a.m. 265 Lucas	Dominik Lett	HYDROCARBONS AND CONFLICT: EVALUATING NATURAL GAS AND MILITARIZED INTERSTATE DISPUTES	33
10:10 a.m. 265 Lucas	Kaitlyn Hemberger	Investigating the Nature of French Color Terms in Congolese Kiswahili	31
10:30 a.m. 265 Lucas	Rory Mata	Studying Misinformation Surrounding COVID-19 in Hispanic Communities	32

Lauren Baalman, Cassie Forcum, Maria Thompson, Jade Burroughs
Faculty Mentor(s): Julie Martin
College of Health Professions
Poster Presentation: Applied Sciences

Educating Pregnant Women and Their Children on Oral Hygiene

Problem Statement: The lack of oral health education in pregnant women and their children is an overarching concern and the implementation of specific educational-based programs may provide improvements in this population. Purpose: This project focuses on information collected about the knowledge pregnant women, mothers, and their children have around the benefits of establishing a good oral hygiene routine. Methods: A review of national data using the National Center for Biotechnology Information (NCBI) databases and eight journal articles was performed to assess the oral health resources and needs of pregnant women, mothers, and their children. Results: There is a lack of knowledge regarding pregnant women, their oral health and the oral health of their child/children. Many oral changes are seen during pregnancy that include gingivitis, gingival hyperplasia, salivary changes, and pyogenic granulomas. In pregnant women, gingivitis, an early stage of periodontal disease, may be aggravated by changing hormones during pregnancy. Women of childbearing age have an increased risk for untreated cavities. Children of mothers who have high levels of untreated cavities or tooth loss are more likely to have cavities. Conclusions: Suggestions for programs to expand and educate multiple women and their children's oral health knowledge would be through daily classes that could be offered in community centers.

Additional information could also be gathered from different income levels to see if there are further discrepancies regarding oral health within pregnant women, mothers, and their children in order to expand on these educational programs.

Jaylyn Bergkamp, Kennedy Camp, Sam Koch, Shadden Zapata
Faculty Mentor(s): Brandi Carlson
College of Health Professions
Poster Presentation: Applied Sciences

The purpose of this applied program is to educate veterans, with limited dexterity due to upper extremity loss, about the importance of oral hygiene with modifications to achieve optimal oral health goals. The program follows veterans that have upper extremity amputations, activity limitation, lower psychosocial adaptation, and less prosthetic satisfaction while including the benefits of hygiene improvement after educating physical therapists of toothbrush modifications. Wichita State Dental Hygiene students will use the “tell-show-do” method to teach licensed physical therapists oral homecare modifications. By demonstrating a variation of modifications for different dental prostheses, licensed physical therapists will learn these techniques from the dental hygiene students and be able to teach veterans who seek their care in their practices. A modified version of brushing and flossing to help increase positive results in their homecare. The modifications applied to items like toothbrushes and floss holders would include using an object that would increase the diameter of the handle or adding supportive bands to the handle and making it easier for the patient to hold. The physical therapists will learn a variety of methods using a pool noodle, bike handle grip, tennis ball, or rubber banded towel to help increase stability when trying to brush their teeth with a toothbrush or using a floss holder that might be too slim to grip. The outcome of the program will indicate that upper extremity amputee veterans will receive oral home care methods

Maya Shuaib,

Seven adults 55 years and older performed 30-minute pedaling sessions per week over 12 weeks. The participants were placed into two groups: aerobic exercise with BFR or aerobic exercise without BFR (control group. Each participant maintained an RPE score between 12-13 during the 30 minutes.

The findings of the study showed that IL-6 levels were significantly increased in the BFR participants as compared to the participants without BFR. Therefore, BFR may be a central mechanism to increase white blood cell recruitment for muscle growth without causing damage to the muscle.

Peter Herrmann
Faculty Mentor(s): Dr. Yongkuk Lee
College of Engineering
Poster Presentation: Natural Sciences & Engineering

FABRICATION OF SOLID STATE ELECTRODES FOR USE IN NONINVASIVE SWEAT SENSOR

Healthcare for a wide variety of illnesses ultimately requires some form of bloodwork, which can often be painful or stressful. Conversely, human sweat contains biomarkers that can indicate a patient's current glucose levels and pH, making it a potential tool in monitoring many illnesses that previously could not be studied noninvasively. Developing an affordable sensor that can effectively measure human sweat for these biomarkers begins with finding a way to develop a Solid State Electrode (SSE) pairing that can compete with commercially available electrodes.

At the forefront of today's photovoltaic research are Perovskite Solar Cells (PSCs). Currently, the materials of choice for the electron transport layer are precious metals that are expensive to buy and require costly deposition methods. SnO_2 is an emerging and highly researched alternative to the standard TiO_2. However, both materials face unique challenges as electron transport layers like stability, hysteresis, and transparency. Herein, TiO_2 and SnO_2 will be used in combination to form the electron transport layer and mitigate the negative effects of both materials. The expected results are increased power conversion efficiency and ease of preparation for our combination cells as compared to the SnO_2 and TiO_2 baseline results.

Nickolas Morningstar
Co-Author(s): Mason Clum
Faculty Mentor(s): Abigail Devereaux
College of Engineering
Poster Presentation: Natural Sciences & Engineering

SIXTH-SENSE DEVICE TO DETECT SURROUNDING ENVIRONMENT USING ULTRASONIC RANGEFINDER

Obliviousness to unfamiliar or hazardous environments create problems for people's safety. It is stated that in the night alone, an average of 39 percent of people in OECD countries feel unsafe. General knowledge of one's surroundings and dangers, limits the threat for accidents. Threats include vehicles, structures, uneven terrain, and suspicious people/animals. We seek to combat this issue by creating a device that generates instantaneous aid to one's awareness of their surroundings. This device utilizes ultrasonic to detect moving and stationary objects, with the option to refine its detection for specific desired hazards. This in turn, gives users mental solace by providing perceived safety. Experimentation will include applying multiple ultrasonic rangefinders on a person, testing the device's capability to operate between two different functions. Sending a narrow/farther distance soundwave to find singular objects far from the user, and a 360-degree short distance soundwave to find multiple nearby objects around the user. With this, a 6th sense of sorts can be simulated for a person. Users would be alerted of different objects near them via a directional vibration generated by the same ultrasonic device. Its effectiveness in detecting objects, large, small, and its precision in high obstacle locations, and detection of moving objects will be tested to see if the device is a viable form of security/6th sense, device to have awareness of your surroundings even when distracted. Therefore increasing any user's safety mentally and physically.

Hannah Newkirk
Faculty Mentor(s): Yongkuk Lee
College of Engineering
Poster Presentation: Natural Sciences & Engineering

The Development of a Fully Wireless, Skin-wearable fetal ECG Monitoring device

Early detection of fetal abnormalities during pregnancy and delivery is critical to reduce fetal mortality, and the most effective way to accomplish it will be ambulatory fetal electrocardiogram (fECG) monitoring. For example, the most common birth defects

been developed and fabricated to optimize performance and longevity. Testing is currently being carried out to experimentally determine thresholds and values that relate to physiological levels of pertinent biomarkers. The second aim is being researched by designing, fabricating, and testing antennas with varied parameters. The resonant frequency and working distance of the antennas are being analyzed to determine which parameters allow for optimal performance that will yield smooth and easy wireless transmission of data. Once this research has been completed, the focus will shift to developing a low-profile, user-friendly housing unit for the various components. This will be followed by experimentation to ensure optimal and accurate performance of the sweat-monitoring device.

Alex Sterzing
Faculty Mentor(s): James Steck
College of Engineering
Poster Presentation: Natural Sciences & Engineering

Ascension in Flight Testing Capabilities

In conducting research, an effort is made for the most accurate experimental results. For years, enclosed-cockpit flight simulators have been the best way to provide an authentic flight simulation. Now that Virtual Reality (VR) technology has become mainstream, new opportunities for realistic simulations arise. While both of these methods individually provide great substitutes for real flight, a combination of the two methods could create the most ideal conditions to perform test flights. This would be done through a melding of Augmented Reality (AR) and VR technology to create a blended view. The goal is to use machine learning technology to stream video feed which an algorithm alters to remove everything in the field of view except for our physical console. This would then be blended into the VR video feed to allow the pilot to be in the virtual cockpit and be able to see and interact with the physical controls. In theory, this would better provide pilots with the tactile interactions of a real cockpit, as well as immerse them in the simulation. In theory, this would allow for more accurate results as pilots would be inside of a cockpit and be able to interact with it. This melding of views is to be done through DLLs in Microsoft Visual Studio and plugins in the flight simulator XPlane 11.

Anna Tri, Khoa Nguyen
Faculty Mentor(s): Dr. Yongkuk Lee
College of Engineering
Poster Presentation: Natural Sciences & Engineering

INKJET-PRINTED ULTRATHIN STRETCHABLE ELECTRONICS FOR REAL-TIME AMBULATORY ECG MONITORING

In medical applications, there is a great interest in using wearable health monitoring systems to obtain physiological information 3 (5cye)-1.66.9 (i)-4.6 (n u)7 (g)10.9.2 (c)-1.6 FOatctsio (tD228 T)2.6 m0tathron v.6 (r)-o (tD228hm (i)-4.6 (on 3 lw

Corresponding widths of inkjet-printed lines were 63.0 Âµm, 44.5 Âµm, and 41.7 Âµm for 10-minute, 30-minute, and 60-minute CF4 treatments, respectively. Finally, we were able to successfully inkjet-printed stretchable electrodes with 60-minute CF4 treatment, which is constructed with 60 Âµm line width for serpentine interconnects and 1 cm diameter of circular disks. In addition, inkjet-printed ultrathin stretchable electrodes were used to measure biopotentials to compare with biopotentials measured using traditional methods. Overall, creating a thinner, more comfortable, and cost-efficient inkjet-printed electrode for physiological signal monitoring can help improve the future of wearable technology and human performance.

Thane Unruh
Co-Author(s): Kapildeb Ambal
Faculty Mentor(s): Kapildeb Ambal
College of Engineering
Poster Presentation: Natural Sciences & Engineering

A robust, calibration-free, and ultra-sensitive magnetometer for remote magnetic field sensing applications

Magnetometers or magnetic field sensors are frequently used on aircraft, spacecraft, drones, and navigational systems for oil and mineral exploration, geophysical surveys, and outer space exploration. These applications need calibration-free, highly sensitive, and fast magnetic field measurement scheme. The existing technology is heavyweight and bulky, and unsuitable for lightweight carriers such as drones. We are designing a compact and lightweight magnetic field sensing device using Nitrogen-Vacancy (NV) center in diamond as a magnetic field sensor combined with an accelerated measurement scheme called an optimal Bayesian measurement algorithm. The diamonds substrate is a good choice because it can sustain a harsh environment such as outer space. We will be using the electrically detected magnetic resonance (EDMR) technique to measure the magnetic field. The EDMR measurement is highly sensitive, relies on

established method of purifying non-muscle actin isoforms so that relevant studies can be carried out to examine the role of palladin in actin dynamics. In our studies, we used the yeast strain Pichia pastoris to express and purify the different non-muscle isoforms of actin. These results will help to elucidate the interactions between palladin and actin in eukaryotic cells and could help further the understanding of their roles in cancer progression.

Shazia Ahmed
Faculty Mentor(s): Nikki Keene Woods
College of Health Professions
Poster Presentation: Social Sciences & Humanities

Accessibility of Treatment and Resources for Gestational Dl28os0.54n79 (i)-2.6 3(n)3.e6 (d)g (d)win ontd
eg (o)12.822.6 (an)12.6 (t)-2.66 (w)6.6 (o)9 (m)8.e6 (n)2 (.)2 (T)43 (b)12.e2 (6 (w)6.6 (b)12.m(ci)-2.6 (22.6 (h)12.av (h)22 ( )12.9

22.e2 (n)d(ad)2 ibynoounl26.u (n)s2 ci22.67(b)12.e ( )10m (i)-2.ad 22.e6 ( )10a6 (t)-2.6 ( )106 (t)-2.6 an itb22.66 (t)-2.6 22.e6 ( )1

Six-month Size Variation in Maize starch with Different Glycerin Concentrations

Starch granule analysis allows archaeologists to identify botanic resources utilized by ancient peoples, informing about past foodways and subsistence strategies. As a relatively new archaeometric technique, not many studies have been done

The impact of COVID-19 on interpersonal violence victim services: First responders' perceptions

During the COVID-19 pandemic, rates of sexual and intimate partner violence increased substantially. Victims were at greater risk for negative physical and psychological outcomes due to isolation policies, changes in resource availability, and increased exposure t

ORAL PRESENTATION ABSTRACTS

Emanuel Andrade
Co-Author(s): Zaara Ali
Faculty Mentor(s): Eylem Asmatulu
College of Engineering
Oral Presentation: Natural Sciences and Engineering

Effects of Boric Acid on Electrospun Sulfonated PEEK

Inflation with customization: this research introduces a novel manufacturing process to produce inflatables with tailorable properties. Additive manufacturingâ€”especially Fused Deposition Modelingâ€”allows for rapid fabrication of almost any geometry imaginable. This research answers the question: can customizable inflatable structures be consistently fabricated using a novel additive manufacturing technique? Here, we introduce additively manufactured tensegrity assisted inflatable structures (AMTAIS). Fabricated using a patent pending design and manufacturing process, each structure maintains its complex shape after inflation. Using flexible material, airtight walls are printed to any user-specified geometry. Then, the G-codeâ€”or the set of printing instructionsâ€”is modified to incorporate fibrous tethers within the internal cavity. These tethers prohibit the structural walls from expanding, allowing the structure to hold its shape post-inflation. A valve is inserted into the AMTAIS to allow inflation using any standard bike pump. This technique permits the production of a myriad of inflatable shapes with improved load-bearing properties. The inflated structures can hold pressure for weeks, and can be folded for storage when not in use. As a lightweight alternative to current solid structures, these enhanced inflatables could offer strong commercial value, from aerospace applications to the fashion industry. These structures have already proven to be effective bespoke handbags that protect the user’s devices from accidental falls. By redefining the future of tensegrity assisted inflatables, this research provides further innovation within the realm of 3D printing.

osi ET/ (r) 8 7 6 (s) T (d) 1 J 3 5 w (os) -2 3 (p) 10 8 (e) 1 TJi ET/ (r) (r) -4 (nc) -1 7 (e) 9 W nBT-2 (i) -2 .0 .8 (f) 6 r) (r) -2 (t) -4 (a) -1 tC ET/Pk 6 (s) 1 9

muscle activity of the biceps brachii decreased by 0.3% when rested for 30 seconds, and it increased by 1.25%, 0.76% and 0.82% when using muscle relaxation periods of 60, 90 and 120 seconds, respectively. The preliminary results suggest that a muscle relaxation period of about 60 seconds is needed for optimal continuous muscle activation within rehabilitation regimens. Robot-based rehabilitation is good to produce repetitive tasks with the right intensity and knowing the optimal resting period will make the automation more effective.

David Nevarez-Saenz
Faculty Mentor(s): Bhisi9ahry rat hin ry ry rhv-4 (y r658.002 Tc -1)3.52(acu)2 (l)8.3C(s)-ol (e)9. Tw 7.761 0(00a4.6 ( )10)10.9 (

color terms in Congolese Kiswahili, a newly observed phenomenon, have never been lexically or preferentially examined and are rarely even mentioned in current literature.

This honors thesis tests three questions. Are these color terms still in use and if so, how many? Are the French or the standard Kiswahili color terms preferrable to speakers? How are these terms lexically categorized?
Participants had the option to take this Qualtrics survey in French or in English and to take it online or with in-person or virtual assistance. They were asked 27 questions divided into three tasks: one multiple choice type, one fill-in-the-blank

directed dyadic tests indicate states with large natural gas reserves tend to be targeted more frequently by aggressor states. The results remain robust to a variety of controls and changes in model specification. Analysis of the data offers several novel contributions to existing literature, opportunities for further research, and implications for policymakers.

PERFORMANCE & EXHIBITION ABSTRACTS

Kourtnee Cude
Faculty Mentor(s): Tom Wine
College of Fine Arts
Exhibition & Performance

All as One

All as One, Sing as One. All as One is a choral piece for SATB voices, cello, and piano, that I wrote and composed during the midst of the pandemic. These words have meant so much to me as I (e(a)-1i2 (s)-2.6 (I)6. (t)-4.6 (i)-4.4.6 (o)10(a)9.2 (l)-4.6